




# Triton™ Spray Packages

## The Best Spray Finishing Package in its Class!

- Low pulsation output and smooth pump change over deliver a consistent spray pattern for a high quality finish
- Quick color changes and fast material refills save time and money
- Rugged stainless steel or aluminum pump handles a wide variety of fluids




## TRITON

- 1. TRITON Packages**  
Available with XT Series Spray Guns
- 2. High-Flow Air Regulators**  
Supplies up to 35% extra air flow to gun for superior atomization
- 3. XT Series Spray Gun**  
Superior finish quality for air spray, HVLP and compliant applications
- 4. Durable Metal TRITON Pump**  
Provides low maintenance and long life
- 5. Easy-to-use Circulation Valve**  
Saves material and time during flushing, priming and color changes
- 6. Low Pulsation TRITON Pump**  
Delivers a consistent spray pattern and uniform film thickness
- 7. Flexible, Lightweight Air Hose**  
Reduces operator fatigue
- 8. Heavy-Duty Suction Performance**  
Sprays a wide variety of material viscosities

## Low Pulsation Output!

### Superior Finish Quality

- Consistent pattern and film on parts.
- Constant flow to the spray gun.



TRITON pump provides 50% less pressure pulsation than standard diaphragm pumps.

*Note: Pump-to-pump comparison without fluid regulator*

For more information call 1-877-84Graco or visit [www.graco.com/finishing](http://www.graco.com/finishing)

# TRITON Spray Finishing Package Ordering Information

1. Select configuration
2. Select aluminum or stainless steel package
3. Select applicator

Pump Material	Part No.	Bare Package*	Fluid Regulator**	Suction Hose	Air Hose (25 ft, 7.6 m)	Fluid Hose (25 ft, 7.6 m)	Application Description
<b>5 Gallon, Pail-Mount Units</b>							
Aluminum	233466	•		•			None
Stainless Steel	233467	•		•			None
Aluminum	233468			•	•	•	XT Series Air Spray Gun .055 in (1.5 mm) nozzle
Stainless Steel	233469			•	•	•	XT Series Air Spray Gun .055 in (1.5 mm) nozzle
Aluminum	233470		30	•	•	•	XT Series HVLP Gun .055 in (1.5 mm) nozzle
Stainless Steel	233471		100	•	•	•	XT Series HVLP Gun .055 in (1.5 mm) nozzle
Aluminum	234911			•	•	•	XT Series Compliant Gun .055 in (1.5 mm) nozzle
Stainless Steel	234912			•	•	•	XT Series Compliant Gun .055 in (1.5 mm) nozzle
<b>4-Legged, Stand-Mount Units</b>							
Aluminum	233473	•		•			None
Stainless Steel	233474	•		•			None
Aluminum	233475			•	•	•	XT Series Air Spray Gun .055 in (1.5 mm) nozzle
Stainless Steel	233476			•	•	•	XT Series Air Spray Gun .055 in (1.5 mm) nozzle
Aluminum	233477		30	•	•	•	XT Series HVLP Gun .055 in (1.5 mm) nozzle
Stainless Steel	233478		100	•	•	•	XT Series HVLP Gun .055 in (1.5 mm) nozzle
Aluminum	234913			•	•	•	XT Series Compliant Gun .055 in (1.5 mm) nozzle
Stainless Steel	234914			•	•	•	XT Series Compliant Gun .055 in (1.5 mm) nozzle
<b>Cart-Mount Units</b>							
Aluminum	233480	•		•			None
Stainless Steel	233481	•		•			None
Aluminum	233482			•	•	•	XT Series Air Spray Gun .055 in (1.5 mm) nozzle
Stainless Steel	233483			•	•	•	XT Series Air Spray Gun .055 in (1.5 mm) nozzle
Aluminum	233484		30	•	•	•	XT Series HVLP Gun .055 in (1.5 mm) nozzle
Stainless Steel	233485		100	•	•	•	XT Series HVLP Gun .055 in (1.5 mm) nozzle
Aluminum	234915			•	•	•	XT Series Compliant Gun .055 in (1.5 mm) nozzle
Stainless Steel	234916			•	•	•	XT Series Compliant Gun .055 in (1.5 mm) nozzle
<b>Wall-Mount Units</b>							
Aluminum	233487	•					None
Stainless Steel	233488	•					None
Aluminum	233489				•	•	XT Series Air Spray Gun .055 in (1.5 mm) nozzle
Stainless Steel	233490				•	•	XT Series Air Spray Gun .055 in (1.5 mm) nozzle
Aluminum	233491		30		•	•	XT Series HVLP Gun .055 in (1.5 mm) nozzle
Stainless Steel	233492		100		•	•	XT Series HVLP Gun .055 in (1.5 mm) nozzle
Aluminum	234917			•	•	•	XT Series Compliant Gun .055 in (1.5 mm) nozzle
Stainless Steel	234918			•	•	•	XT Series Compliant Gun .055 in (1.5 mm) nozzle



Wall-mount units do not include suction hose, siphon tube or pail. Must order separately.

\*Bare packages do not include hose and gun.

\*\*Only HVLP, packages include fluid regulator:

- Aluminum packages use 30 psi (0.2 MPa, 2 bar) acetal fluid regulator.
- Stainless steel packages use 100 psi (0.7 MPa, 7 bar) stainless steel fluid regulator.

For more information call 1-877-84Graco or visit [www.graco.com/finishing](http://www.graco.com/finishing)