



W5130 3/8" 20V Mid-Torque Impactool™

The Right-Sized Tool for the Job



IQ^{V20} Series™ Cordless Tools
Uncompromising Cordless Power

W5130 3/8" 20V Mid-Torque Impactool™

The Ingersoll Rand W5130 3/8" 20V Mid-Torque Impactool delivers the power you need where you need it — from the engine compartment to the maintenance department. The W5130 is engineered to the same high standards as all of the equipment in the IQ^{V20} Series™ line of cordless tools, which includes the W7150 Impactool.™ Designed for professional service technicians, the W5130 offers exceptional performance in a variety of applications. With long-lasting durability and best-in-class power-to-size ratio for access to tight spots, you can rely on the W5130 Impactool to do the job, do it fast, and do it every time.



IQ ^{V20} Series WARRANTY		
1 Year Tool, Battery & Charger Replacement	2 Year High-Capacity Battery Replacement <small>applies to batteries 2.4Ah or greater</small>	3 Year Limited Warranty on Tools and Chargers
<small>See Ingersollrandproducts.com/cordless for official Terms & Conditions. May vary by country.</small>		



Suspension



Drivetrain



Drivetrain with L5110 Task Light



The Power to Get the Job Done

Performance

With 190 ft-lb of torque, the W5130 delivers all the power you need — when and where you need it most

Durability

Strong, lightweight, steel-lined aluminum hammer case protects internal components, while patent-pending metal reinforced housing withstands repeated drops — strong from the inside out

Accessibility

At just 6.6" long, this lightweight, balanced, compact Impactool offers best-in-class power-to-size ratio for access to the tightest places

Specifications	W5130		W5150	
Battery	BL2005	BL2010	BL2005	BL2010
Drive	3/8"	3/8"	1/2"	1/2"
Max Reverse Torque	180 ft-lb (245 Nm)	190 ft-lb (260 Nm)	180 ft-lb (245 Nm)	190 ft-lb (260 Nm)
Forward Torque Range	25-135 ft-lb (35-180 Nm)	25-140 ft-lb (35-190 Nm)	25-135 ft-lb (35-180 Nm)	25-140 ft-lb (35-190 Nm)
Blows per Minute	2,900 (bpm)	2,900 (bpm)	2,900 (bpm)	2,900 (bpm)
Maximum Free Speed	1,700 rpm	1,700 rpm	1,700 rpm	1,700 rpm
Length	6.6" (162 mm)	6.6" (162 mm)	6.6" (162 mm)	6.6" (162 mm)
Weight with Battery	3.6 lb (1.6 kg)	4.1 lb (1.9 kg)	3.6 lb (1.6 kg)	4.1 lb (1.9 kg)
Sound Level dBA († Pressure, L _p)	91	91	91	91
Vibration Level	8.8 m/s ² (2.6*K)	9.8 m/s ² (1.6*K)	8.8 m/s ² (2.6*K)	9.8 m/s ² (1.6*K)

Do the Job. Do it Fast. Do it Every Time.

Under Hood



Chassis



Engine



W5130

3/8" 20V Mid-Torque Impactool™



All-metal drivetrain and hammer mechanism — robust, durable, and optimized for maximum power and efficiency

Tough housing protects against fluids, chemicals, and repeated drops

Variable-speed switch with electronic brake provides maximum control of the tool



Patented steel reinforced frame protects against breakage

Compact size — 6.6" from tip to tail allows for greater accessibility and versatility

Lightweight, balanced, ergonomic handle with patent-pending rubber over-molded grip minimizes vibration, reduces fatigue, and enhances user comfort during extended use

Compatibility with IQ^{V20} Series™ batteries — compact and easy to use battery interface



Full line of accessories available at ingersollrandproducts.com/accessories



3.0 Ah battery — BL2010



1.5 Ah battery — BL2005

IQ^{V20} Charger — auxiliary USB charge port and can be mounted to the wall or bench



BC1120

Model	Description
W5130	3/8" 20V Mid-Torque Impacttool
W5130-K1	W5130 Impacttool, Charger, 1 Li-ion Battery & Case
W5130-K2	W5130 Impacttool, Charger, 2 Li-ion Batteries & Case
W5150	1/2" 20V Mid-Torque Impacttool
W5150-K1	W5150 Impacttool, Charger, 1 Li-ion Battery & Case
W5150-K2	W5150 Impacttool, Charger, 2 Li-ion Batteries & Case
BL2005	IQ ^{V20} Series 20V 1.5Ah Lithium-Ion Battery Pack
BL2010	IQ ^{V20} Series 20V 3.0Ah Lithium-Ion Battery Pack
BC1120	IQ ^{V20} Series 20V Battery Charger



High-power, extended-life 20-volt lithium-ion battery delivers high-charge capacity and low internal impedance for maximum power delivery and exceptional runtime

Intelligent battery management system (BMS) provides power-level and flow-rate control from the battery to the switch to the motor



Ingersoll Rand (NYSE:IR) advances the quality of life by creating and sustaining safe, comfortable and efficient environments. Our people and our family of brands—including Club Car®, Ingersoll Rand®, Schlage®, Thermo King® and Trane® —work together to enhance the quality and comfort of air in homes and buildings; transport and protect food and perishables; secure homes and commercial properties; and increase industrial productivity and efficiency. Ingersoll Rand products range from complete compressed air systems, tools and pumps to material handling systems. The diverse and innovative products, services and solutions enhance our customers' energy efficiency, productivity and operations. We are a \$14 billion global business committed to a world of sustainable progress and enduring results. For more information, visit ingersollrandproducts.com.



(800) 866-5457 • www.ingersollrandproducts.com

Distributed by:

Ingersoll Rand, IR and the IR logo are trademarks of Ingersoll Rand, its subsidiaries and/or affiliates. All other trademarks are the property of their respective owners. Nothing contained on these pages is intended to extend any warranty or representation, expressed or implied, regarding the product described herein. Any such warranties or other terms and conditions of sale of products shall be in accordance with Ingersoll Rand's standard terms and conditions of sale for such products, which are available upon request. Product improvement is a continuing goal at Ingersoll Rand. Designs and specifications are subject to change without notice or obligation. ©2012 Ingersoll Rand